


HÄFELE



POWER MANAGEMENT ENDLESS APPLICATIONS

Brought to you by Häfele



POP UP DUO OUTLET

- > Version: 1 x GPO, 2 x USB A
- > Finish: Tower: Black or aluminium
Outlet: Black or white
Top: Black with chrome ring
- > Features: Overload switch, spring loaded
- > Mounting: 10 - 45 mm benchtop
Ø 95 mm cutout

Finish	Cat. No.
Black	822.53.270
White	822.53.271

Packing: 1 piece



POP UP DUO OUTLET WITH WIRELESS CHARGING

- > Version: 1 x GPO, 2 x USB A
- > Finish: Tower: Black or aluminium
Outlet: Black or white
Top: Black or white with chrome ring
- > Features: Overload switch, spring loaded, wireless charging
- > Mounting: 10 - 45 mm benchtop
Ø 95 mm cutout

Finish	Cat. No.
Black	822.53.280
White	822.53.281

Packing: 1 piece



POP UP QUAD OUTLET

- > Version: 3 x GPO, 2 x USB A
- > Finish: Tower: Black or aluminium
Outlet: Black or white
Top: Black with chrome ring
- > Features: Overload switch, spring loaded
- > Mounting: 10 - 45 mm benchtop
Ø 95 mm cutout

Finish	Cat. No.
Black	822.53.290
White	822.53.291

Packing: 1 piece



POP UP QUAD OUTLET WITH WIRELESS CHARGING

- > Version: 3 x GPO, 2 x USB A
- > Finish: Tower: Black or aluminium
Outlet: Black or white
Top: Black or white
- > Features: Overload switch, spring loaded, wireless charging
- > Mounting: 10 - 45 mm benchtop
Ø 95 mm cutout

Finish	Cat. No.
Black	822.53.301
White	822.53.302

Packing: 1 piece



DOCKING DRAWER DUO

- > Area of application: For powering USB charged devices
- > Features: Charges up to 4 devices at a time
- > Max Current: DC: 1.5A at 5V DC per port

Finish	Cat. No.
White	822.53.150
Black	822.53.152

Packing: 1 piece



DOCKING DRAWER TRIO

- > Area of application: For powering hair dryers, straighteners and anything requiring 10 amps of service while also providing USB ports for charging
- > Features: Interlocking safety feature - Thermostatic shut off. Cuts power to the outlet if the temperature rises over 50°C. Charges up to 4 devices at a time
- > Max Current: AC: 10A per outlet at 240V combined USB DC: 1.5A at 5V DC per port

Finish	Cat. No.
White	822.53.151
Black	822.53.153

Packing: 1 piece



POWER FRAME

Finish	Cat. No.
Grey metallic	822.91.100
Black	822.91.300

Packing: 1 piece



POWER FRAME PDU

- > Version: 2 x GPO, 2 x USB
- > Material: Aluminium and plastic
- > Finish: Black
- > Features: To be installed with power frame or cover
- > Power output: GPO: 10A
USB: 3.1A
- > Cut-out size (mm): 225 x 60 (L x W)

Finish	Cat. No.
Black	822.91.111

Packing: 1 piece

POWER FRAME COVER

Finish	Cat. No.
Aluminium anodised	822.91.102
Black	822.91.110

Packing: 1 piece



POWER FRAME PDU

- > Version: 2 x GPO, 2 x USB
- > Material: Aluminium and plastic
- > Finish: Black
- > Features: To be installed with power frame or cover
- > Power output: GPO: 10A
USB: 3.1A
- > Cut-out size (mm): 225 x 60 (L x W)

Finish	Cat. No.
Black	822.91.111

Packing: 1 piece



POINT POD COMPACT

- > Version: 2 x GPO or 1 x GPO and 2 x USB
- > Materials: Polyamide and ABS
- > Finish: Anodised aluminium and white or black
- > Features: Push to open, electric lifting, concealed installation
- > Rating: IP44
- > Hole size (mm): Ø100
- > Inner disk size (mm): Ø92

Finish	2 x GPO	1 x GPO and 2 x USB
Silver	822.74.945	822.74.946
Black	822.74.948	822.74.949

Packing: 1 piece



POINT POD MULTI

- > Version: 3 x GPO, 2 x USB
- > Materials: Polyamide and ABS
- > Finish: Anodised aluminium and white or black
- > Features: Push to open, electric lifting, concealed installation
- > Rating: IP44
- > Hole size (mm): Ø100
- > Inner disk size (mm): Ø92

Finish	Cat. No.
Silver	822.74.944
Black	822.74.947

Packing: 1 piece



HÄFELE

POWER MANAGEMENT - 09.2021

Häfele Australia Pty. Ltd. | 8 Monterey Road | Dandenong | Victoria 3175

Phone: 1300 659 728 | **Fax:** (03) 9212 2001 | **Email:** info@hafele.com.au | www.hafele.com.au

HÄFELE LOCATIONS:

Australia | MELBOURNE | SYDNEY | NEWCASTLE | BRISBANE | ADELAIDE | LAUNCESTON | HOBART | PERTH

